

HB13 LED High Bay Light



HB13

LED High Bay Light



IP65



IK08




Warranty



High Ambient
Temperature
Up to 65°C

HB13 LED High Bay Light

Key Features



Full Power Optional



150W/200W



300W/400W/500W



600W/800W



HB13 LED High Bay Light

Specifications



Model No.	ZGSM-HB13-150	ZGSM-HB13-200	ZGSM-HB13-300	ZGSM-HB13-400	ZGSM-HB13-500	ZGSM-HB13-600	ZGSM-HB13-800
Power (±5%)	150W	200W	300W	400W	500W	600W	800W
Input Voltage	AC100-277V, 50-60Hz						
LED Brand	LUMILEDS 3030						
Qty of LED	250pcs	330pcs	500pcs	670pcs	864pcs	1000pcs	1632pcs
Lumen Flux (±5%)	22,500LM	30,000LM	45,000LM	60,000LM	75,000LM	90,000LM	120,000LM
Efficacy	150lm/W	150lm/W	150lm/W	150lm/W	150lm/W	150lm/W	150lm/W
CCT	3000K / 4000K / 5000K / 5700K / 6500K						
Driver Brand	SOSEN						
CRI	>70 / 80						
PF	>0.95						
Beam Angle	110°		30° / 60° / 90°				
IP	IP65						
IK	IK08						
Warranty	5 Years						
Operating Temperature	-30°C to +65°C						
Dimension(mm)	280*400	320*400	448*485			598*507	

Dimensions



01 ZGSM-HB13-150





02 ZGSM-HB13-200



03 ZGSM-HB13-300 / 400 / 500



04 ZGSM-HB13-600 / 800



Product Dimension: mm